



FINAL
Examination Paper

(COVER PAGE)

Session : January 2017

Programme : Diploma In Electrical And Electronic Engineering (DEEI)

Course : **MAT1136: Engineering Mathematics 3**

Date of Examination : 7 March 2017 (Tuesday)

Time : 8:00am – 10:00am Reading Time : Nil

Duration : 2 hours

Special Instructions :

This paper consists of **FIVE (5)** questions. Answer any **FOUR (4)** questions in the answer booklet provided. All questions carry equal marks.

Materials permitted :

Non-Programmable Calculator

Materials provided :

Formula Booklet 1

Examiner(s) : **Bark Chee Beng**

Moderator : Dr. Ch'ng Pei Eng

This paper consists of 6 printed pages, including the cover page.

INTI INTERNATIONAL COLLEGE PENANG

DIPLOMA IN ELECTRICAL AND ELECTRONIC ENGINEERING (DEEI)
 MAT1136 : ENGINEERING MATHEMATICS 3
 FINAL EXAMINATION: JANUARY 2017 SESSION

Instructions:

This paper consists of **FIVE (5)** questions. Answer any **FOUR (4)** questions in the answer booklet provided. All questions carry equal marks.

Question 1

- (a) Consider the following system of linear equations where k is a real constant.

$$\begin{aligned}x - 2y + 3z &= 1 \\x + ky + 2z &= 2 \\-2x + k^2y - 4z &= 3k - 4\end{aligned}$$

- (i) By using elementary row operations, show that its augmented matrix can be reduced to the following echelon form

$$\left[\begin{array}{ccc|c} 1 & -2 & 3 & 1 \\ 0 & k+2 & -1 & 1 \\ 0 & 0 & k & 2k \end{array} \right]$$

(3 marks)

- (ii) Determine the value or values of k for which the system has unique solution. Justify your answer with rank test.

(2 marks)

- (iii) Determine the value or values of k for which the system has no solution. Justify your answer with rank test.

(3 marks)

- (iv) Determine the value or values of k for which the system has many solutions. Justify your answer with rank test. Solve the system and express your answer in parametric form.

(5 marks)

- (b) Let $\underline{w} = \begin{bmatrix} x \\ y \\ z \end{bmatrix}$ and $[A|\underline{b}]$ be the augmented matrix of the linear system.

$$\begin{aligned}x + y + z &= 3 \\x + 2y + 3z &= 4 \\x + 4y + 9z &= 6\end{aligned}$$

- (i) Find A^{-1} by means of the formula

$$A^{-1} = \frac{1}{\det(A)} \text{adj}(A),$$

Where $\det(A)$ and $\text{adj}(A)$ denotes the determinant of A and the adjoint matrix of A respectively.

(6 marks)

- (ii) Find \underline{w} by mean of A^{-1} .

(2 marks)

- (iii) Use Cramer's rule to solve for x . [Note : Do NOT solve for y and z .]

(4 marks)

Question 2

- (a) Apply the properties of determinant by row operation to show that

$$\begin{vmatrix} a+b+c & a+b & a & a \\ a+b & a+b+c & a & a \\ a & a & a+b+c & a+b \\ a & a & a+b & a+b+c \end{vmatrix} = c^2(2b+c)(4a+2b+c)$$

(5 marks)

- (b) Given that $\begin{vmatrix} a & b & c \\ d & e & f \\ g & h & i \end{vmatrix} = -3$. Find $\begin{vmatrix} -2c & -2b & -2a \\ f & e & d \\ i-4f & h-4e & g-4d \end{vmatrix}$.

(4 marks)

- (c) Let $A = \begin{bmatrix} 1 & 0 & 4 \\ 0 & 2 & 0 \\ 3 & 1 & -3 \end{bmatrix}$

- (i) Find the eigenvalues of A .

(4 marks)

- (ii) Find an eigenvector corresponding to the largest eigenvalue.

(6 marks)

- (d) Consider the following system of linear equations :

$$5x - 2y + 3z = -1$$

$$-3x + 9y + z = 2$$

$$2x - y - 7z = 3$$

- (i) Set up Gauss-Seidel scheme for the system. (3 marks)
- (ii) Using the above scheme, compute two (2) iterations, starting with initial guess
 $x^{(0)} = 0, y^{(0)} = 0, z^{(0)} = 0$.
 Keep 3 decimal places in all calculations. (3 marks)

Question 3

- (a) Given that $\phi = \phi(x, y, z) = xye^z$
- (i) Find the directional derivative of ϕ at $Q(1,2,-1)$ in the direction of the vector
 $A = -i - 3j + k$. (6 marks)
- (ii) In what direction from Q is the directional derivative maximum? Find the magnitude of this maximum value. (2 marks)
- (b) Given that
 $A = x^2 yi + (xy + yz)j + xz^2 k$
 $\phi = 3x^2 y - 4y^2 z$
- Find the following at the point $(1,2,1)$:
- (i) $\nabla \cdot A$ (3 marks)
- (ii) $A \cdot \nabla \phi$ (3 marks)
- (c) Evaluate $I = \int_P^Q (3x - y + 1)dx - (x + 4y + 2)dy$ along
- (i) A straight line from $P(0,1)$ to $Q(2,5)$, (5 marks)
- (ii) The parabola $x = t, y = t^2 + 1, t \in [0,2]$ (5 marks)
- (iii) Is I independent of path? Justify your answer. (1 mark)

Question 4

(a) Consider vector field $F = 2xyi + (x^2 - 3y^2)j + 2zk$.

(i) Show that F is conservative.

(2 marks)

(ii) Find scalar field ϕ such that $F = \nabla\phi$.

(4 marks)

(iii) Evaluate the line integral $\int_C F \cdot dr$ where C is a simple path joining the point A(0,0,1) to the point B(1,3,2).

(2 marks)

(b) Consider the line integral

$$\oint_C xydx - xdy$$

Where C is the triangular path OAB defined by O(0,0), A(1,1) and B(0,1) in the counter-clockwise direction. Evaluate the integral

(i) by direct method,

(5 marks)

(ii) By Green's theorem.

(5 marks)

(c) Use Stokes' theorem to evaluate $\iint_S \nabla \times F \cdot ndS$ for the function

$$F = y^2zi + xzj + x^2y^2k$$

Where S is that part of the paraboloid $z = x^2 + y^2$ that lies in the cylinder $x^2 + y^2 = 1$, oriented upward.

(7 marks)

Question 5

(a) A double integral is given by

$$\int_0^2 \int_{x/2}^1 e^{-y^2} dydx.$$

(i) Sketch and label the region of integration.

(2 marks)

(ii) Hence, rewrite the limits of integral if the order of integration is reversed. (2 marks)

(iii) Evaluate the integral using result from (a)(ii). (4 marks)

(b) Using the Divergence theorem to find $\iiint_S F \cdot dS$ where

$$F = 2x \mathbf{i} + y \mathbf{j} + 3z \mathbf{k}$$

and S is the surface enclosed by the unit sphere $x^2 + y^2 + z^2 = 1$.

[Note : Volume of sphere, $V = \frac{4}{3} \pi r^3$]

(5 marks)

(c) Let $f(x)$ be a function of period 2π such that

$$f(x) = \begin{cases} 1, & -\pi < x < 0 \\ 0, & 0 < x < \pi \end{cases}$$

(i) Sketch a graph of $f(x)$ in the interval $-2\pi < x < 2\pi$ (2 marks)

(ii) Show that the Fourier series for $f(x)$ in the interval $-\pi < x < \pi$ is

$$f(x) = \frac{1}{2} - \frac{2}{\pi} \left[\sin x + \frac{1}{3} \sin 3x + \frac{1}{5} \sin 5x + \dots \right]$$

(10 marks)

-- THE END --

MAT1136(F)/Jan2017/BarkCB